

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

|                                   |   |                               |
|-----------------------------------|---|-------------------------------|
| <b>JONATHAN N. HOWARTH ET AL.</b> | ) |                               |
|                                   | ) |                               |
| <b>APPLN. NO.: 10/688,125</b>     | ) | <b>GROUP ART UNIT: 1615</b>   |
|                                   | ) |                               |
| <b>CONFIRMATION NO.: 2030</b>     | ) |                               |
|                                   | ) |                               |
| <b>FILED: OCTOBER 17, 2003</b>    | ) | <b>EXAMINER: NEIL S. LEVY</b> |
|                                   | ) |                               |
| <b>MICROBIOLOGICAL CONTROL IN</b> | ) |                               |
| <b>AQUEOUS SYSTEMS</b>            | ) |                               |

Commissioner for Patents  
PO Box 1450  
Alexandria, VA 22313-1450

**REPLY TO OFFICE ACTION**

Sir:

This is in response to the Office Action mailed in the above application on April 1, 2008. Applicants hereby respectfully request reconsideration of this application in view of the following remarks.

Amendments to the Specification begin on Page 2 of this Response.

Remarks begin on Page 3 of this Response.

**CERTIFICATE OF SUBMISSION**

I hereby certify that, in the course of ordinary business, this paper (along with any referred to as being attached or enclosed) is being submitted to the United States Patent and Trademark Office via EFS-Web on the date indicated below.

June 27, 2008  
Date

/Gina R. Merritt/  
Gina R. Merritt